

NOTES:

1. CONCRETE N25 IN ACCORDANCE WITH AS1379 AND AS3600
2. ALL WELDS TO AS1554, ALL WELDING SYMBOLS TO AS1101.3
3. GRATE TO BE HOT DIPPED GALVANISED AFTER FABRICATION TO AS4680
4. ALL FLAT PLATE STEEL GRADE 250 TO AS3678
5. BOLTS NUTS AND WASHERS TO AS1252
6. LOCK GRATE WITH GALVANISED M10 BOLT AND NUT (STANDARD) OR WITH COUNCIL PROVIDED PADLOCK (IF DIRECTED)
7. HOT DIPPED GALVANISED BOLTS AND NUTS TO AS1214. HOT DIPPED GALVANISED WASHERS TO AS4680.
8. UNLESS APPROVED OTHERWISE BY COUNCIL DELEGATE, LIMIT DEPTH OF FIELD INLET TO 1,350mm.
9. FIELD INLETS DEEPER THAN 1,350mm TO BE INDIVIDUALLY DESIGNED AND CERTIFIED BY AN RPEQ.
10. FOR INLETS WITH DEPTHS GREATER THAN 1,200mm, STEP IRONS WILL BE REQUIRED IN ACCORDANCE WITH AS1657.
11. ALL DIMENSIONS IN MILLIMETRES (U.N.O.)

ISSUE	AMENDMENT	DRAWN DATE	CHK'D DATE	APPR'D DATE
C	Locking Detail Added, Note 6 Added, Inlet Frame Material Altered	MAR '18	AUG '18	NOV '18
B	Dimension Amended	FEB '16	JUL '16	JUL '16
A	Drawing Converted from UMS Series April 2014	APR '14	APR '14	APR '14


DRAWING AUTHORISED FOR PUBLICATION
B.BALL SIGNATURE ON ORIGINAL
DATED 24/09/09

MANAGER CITY ASSETS - R.P.E.Q. 2546

DESIGN APPROVED
B.HANSEN SIGNATURE ON ORIGINAL
DATED 22/09/09

PRINCIPAL ASSET OFFICER
ROADS AND DRAINAGE

DESIGN	CAB	DATE	FEB '09
DRAWN	CAB (DJL)	DATE	FEB '09
CHECKED	CITY ASSETS	DATE	SEP '09
DRAWING FILENAME	BSD-8092 (C) Field inlet dome top cover.dwg		
ASSOCIATED PLANS	SUPERSEDES UMS-340		



BRISBANE CITY COUNCIL STANDARD DRAWING

FIELD INLET
DOME TOP COVER

SCALE: NOT TO SCALE

DWG No. BSD-8092

ORIGINAL SIZE: A3

REVISION: C