


FREE STANDING STONE WALL – SECTION

GENERAL NOTES & SPECIFICATIONS

- ENSURE WALLS ARE LOCATED IN ACCORDANCE WITH DETAILED LANDSCAPE PLAN AND PARKS CHAPTER OF INFRASTRUCTURE DESIGN PLANNING SCHEME POLICY.
- MATERIAL CHOICES ARE TO BE DETERMINED ON THE GROUNDS OF SUSTAINABILITY, LOW MAINTENANCE, VANDAL RESISTANCE, PRODUCT AVAILABILITY AND SUITABILITY TO THE CLIMATIC CONDITIONS. MATERIALS ARE TO BE LOCALLY SOURCED.
- ENSURE GARDEN AREAS (MULCH) FINISH 25mm BELOW ADJACENT WALL AND MAINTENANCE EDGE.
- ENSURE MIN. 1:50 FALL TO MAINTENANCE EDGE.
- ENSURE WALLS ARE CLEANED OF CONCRETE SLURRY/SPRAY WHEN INSTALLED TO PREVENT STAINING OR DAMAGE TO FINISH.
- ACCEPTABLE STONE TYPES ARE TO BE ACQUIRED LEGALLY FROM A STONE MERCHANT, QUARRY OR ANOTHER SUSTAINABLE SOURCE (NOT TO BE REMOVED FROM BUSHLAND OR A PROTECTED NATURAL ENVIRONMENT UNLESS PERMIT AND LICENSES ARE APPROVED).
- THE APPROVED STONE TYPE USED TO FORM THE WALL SHALL BE OF ONE CONSISTENT TYPE. TYPICALLY BLUE STONE, GRANITE, SANDSTONE, QLD PORPHYRY OR OTHER NATURAL QLD STONE UNLESS SPECIFIED OTHERWISE.
- STONE WALL TO BE CONSTRUCTED BY A EXPERIENCED CONTRACTOR AND MUST NOT EXCEED ONE METRE IN HEIGHT ABOVE ADJACENT FINISHED SURFACE LEVEL.
- ALL DIMENSIONS IN MILLIMETRES (U.N.O.).

CONCRETE WORK NOTES

- ALL WORKMANSHIP AND MATERIAL SHALL BE IN ACCORDANCE WITH AS 3600.
- AT A MINIMUM ALL CONCRETE TO BE GRADE N25. CONCRETE SHALL BE NORMAL CLASS CONCRETE UNLESS DIRECTED OTHERWISE. N25 SHALL MEAN NORMAL CLASS CONCRETE WITH A 28 DAY CHARACTERISTIC STRENGTH OF 25MPa. CONCRETE MIX DESIGN SHALL BE SUBMITTED TO THE SITE SUPERINTENDENT FOR APPROVAL FIVE (5) DAYS PRIOR TO ORDERING.
- ALL CEMENT TO BE TYPE GP OR GB TO AS 3972 UNLESS SPECIFIED OTHERWISE.
- CONCRETE MAINTENANCE EDGE MUST NOT EXCEED 20m IN CONTINUOUS LENGTHS.

				DRAWING AUTHORISED FOR PUBLICATION PAUL COTTON SIGNATURE ON ORIGINAL DATED 03/09/04 MANAGER INFRASTRUCTURE MANAGEMENT R.P.E.Q: 2546 DESIGN APPROVED LAUREN TEMPLEMAN SIGNATURE ON ORIGINAL DATED 31/08/04 PRICIPAL PROGRAM OFFICER PARKS				DESIGN	Std Dwgs WG	DATE	OCT '13		BRISBANE CITY COUNCIL STANDARD DRAWING		SCALE		1:10	
				DRAWN	CPO - P&D	DATE	OCT '13	FREE-STANDING STONE WALL		DWG No.					BSD-9307			
				CHECKED	UMD - E&P & IMB	DATE	OCT '13			ORIGINAL SIZE			A3		REVISION		A	
				DRAWING FILENAME	BSD-9307.dwg			ASSOCIATED PLANS		SUPERSEDES UMS-735								
A	Drawing Converted From UMS Series April 2014			APR '14	APR '14	APR '14												
ISSUE	AMENDMENT			DRAWN DATE	CHK'D DATE	APPR'D DATE												