



NOTES:

1. THE NUMBER OF CABLE INLETS INSTALLED IN THE PAVEMENT JUNCTION BOX SHALL VARY TO SUIT INDIVIDUAL SITES.
2. SAW CUT WIDTH TO BSD-4012.
3. INSIDE OF PIT TO HAVE A SMOOTH FINISH.
4. IF REQUIRED, FIT RETAINING WEDGES AT 300-400mm SPACING TO ENSURE LOOP CABLE DOES NOT MOVE WHILE SEALANT IS APPLIED. THE WEDGE MATERIAL TO BE RESILIENT AND IMPERVIOUS TO WATER AT THE INSTALLATION TECHNICIANS DISCRETION.
5. LOOPS NOT TO BE CUT TO MEDIAN IF MEDIAN LESS THAN 1500mm.
6. DIMENSIONS IN MILLIMETRES (U.N.O.).

THE PURPOSE OF THIS STANDARD DRAWING IS TO PROVIDE TYPICAL DETAILS THAT SUPPORT THE DESIRED OUTCOMES OF THE BRISBANE CITY PLAN 2014 AND ASSOCIATED PLANNING SCHEME POLICIES. THE FITNESS FOR PURPOSE OF THIS STANDARD DRAWING FOR A SPECIFIC PROJECT SHOULD BE ASSESSED AND ACCEPTED BY AN APPROPRIATELY QUALIFIED DESIGNER AND/OR REGISTERED PROFESSIONAL ENGINEER OF QUEENSLAND (RPEQ).



BRISBANE CITY COUNCIL STANDARD DRAWING

GENERAL ARRANGEMENT FOR
ACCESS TO CABLE JOINTING PIT
(SAW CUT ENTRY)

PUBLISH DATE		JUN 2023
SCALE		NOT TO SCALE
DRAWING NUMBER		BSD-4011
ORIGINAL SIZE	REVISION	
A3	C	