


ROUND TYPE PIT AND CABLE
ENTRY FROM MEDIAN



NOTES

1. THE NUMBER OF CABLE INLETS INSTALLED IN THE PAVEMENT JUNCTION BOX SHALL VARY TO SUIT INDIVIDUAL SITES.
2. SAW CUT WIDTH TO BSD-4012.
3. INSIDE OF PIT TO HAVE A SMOOTH FINISH.
4. IF REQUIRED, FIT RETAINING WEDGES AT 300-400mm SPACING TO ENSURE LOOP CABLE DOES NOT MOVE WHILE SEALANT IS APPLIED. THE WEDGE MATERIAL TO BE RESILIENT AND IMPERVIOUS TO WATER AT THE INSTALLATION TECHNICIANS DISCRETION.
5. LOOPS NOT TO BE CUT TO MEDIAN IF MEDIAN LESS THAN 1500mm.
6. DIMENSIONS IN MILLIMETRES (U.N.O.).

B	Drawing Title Amended	JAN '16	JUL '16	JUL '16
A	Drawing Converted from UMS Series April 2014	APR '14	APR '14	APR '14
ISSUE	AMENDMENT	DRAWN DATE	CHK'D DATE	APPR'D DATE

DRAWING AUTHORISED FOR PUBLICATION B. BALL SIGNATURE ON ORIGINAL DATED 29/6/01				DESIGN	Std Dwgs WG	DATE	April '01
MANAGER ASSET SUPPORT - R.P.E.Q: 3 8 5 2				DRAWN	CPO - P&D	DATE	April '01
DESIGN APPROVED K. MEMORY SIGNATURE ON ORIGINAL DATED 27/6/01				CHECKED	R. WILSON	DATE	May '01
SENIOR PROGRAM OFFICER NETWORK OPERATIONS - R.P.E.Q: 4 7 6 1				DRAWING FILENAME	BSD-4011 (General arrangement for access to cable joining pit (saw cut entry).dwg)		
				ASSOCIATED PLANS	SUPERSEDES UMS-600-020		



BRISBANE CITY COUNCIL STANDARD DRAWING

SCALE: NOT TO SCALE

GENERAL ARRANGEMENT FOR ACCESS TO CABLE JOINING PIT (SAW CUT ENTRY)

DWG No. **BSD-4011**

ORIGINAL SIZE: A3 REVISION: B