



DRAWING AUTHORISED FOR PUBLICATION B.BALL SIGNATURE ON ORIGINAL DESIGN INFST MNGMT DATE OCT '01 DATED 31/10/01 DRAWN INFST MNGMT DATE OCT '01 MAN INFRASTRUCTURE MANAGE - R.P.E.Q: 3 8 5 2 CHECKED M.STEER DATE OCT '01 Drawing Title Amended JUL '16 DESIGN APPROVED FEB '16 JUL '16 B.HANSEN SIGNATURE ON ORIGINAL DATED 31/10/01 DRAWING FILENAME BSD-8072 (B) Hydraulic capture charts, lip in line gully on grade, type 'D' K&C, 3600nm lintel.dwg Drawing Converted from UMS Series April 2014 APR '14 APR '14 APR '14 DRAWN APPR'D PRINCIPAL ASSET OFFICER ROADS AND DRAINAGE ASSOCIATED SUPERSEDES UMS-382 ISSUE AMENDMENT

NOTES

- 1. CHARTS TO BE USED TO DETERMINE THE HYDRAULIC CAPTURE OF BCC STANDARD TYPE 'A' GRATE ONLY INSTALLED IN LIP-IN-LINE CONFIGURATION. REFER BSD-8053 FOR GRATE DETAILS AND BSD-8051 FOR GULLY DETAILS.
- 2. FOR APPROVED PROPRIETRY PRODUCTS, MANUFACTURER/SUPPLIER TO SUPPLY FULL HYDRAULIC DESIGN DETAILS AND CAPTURE CHARTS.
- 3. DATA BASED ON TESTING UNDERTAKEN AT URBAN WATER RESOURCES CENTRE, UNIVERSITY OF SOUTH AUSTRALIA FOR BRISBANE CITY COUNCIL, GOLD COAST CITY COUNCIL AND QUEENSLAND DEPARTMENT OF MAIN ROADS, MARCH 2001 AND NOVEMBER 2002. (NO EXTRAPOLATION BEYOND THE LIMITS OF THE CHARTS SHOULD BE UNDERTAKEN.)
- 4. CAPTURE BASED ON MAXIMUM CHAMBER WATER LEVEL:
- 150mm BELOW CHANNEL INVERT LEVEL FOR S = 0.5 TO 3% 350mm BELOW CHANNEL INVERT LEVEL FOR S > 3%.
- CAPTURE CHARTS REFER TO STANDARD LIP-IN-LINE GULLY WITH 125mm THROAT OPENING. REFER BSD-8051, REVISION 'C' FOR
- 6. 10% BLOCKAGE APPLIED TO GRATE.

BRISBANE CITY

KERB AND CHANNEL LONGITUDINAL SLOPE (S.)

- BASED ON ACTUAL DATA

---- EXTRAPOLATED DATA



LIP IN LINE GULLY ON GRADE TYPE 'D' KERB AND CHANNEL 3600mm LINTEL

	SCALE	NOT	10	SCALE	
_	DWG No.				
-		BSD	—	8072	
_	ORIGINAL SIZE			REVISION	
		Δ3		В	