


ADJACENT SURFACE TREATMENT AS SPECIFIED. 230x115x50mm PAVER SOLDIER COURSE SET ON A CONCRETE HAUNCH WHERE SPECIFIED. EXISTING OR NEW PAVERS TO MATCH EXISTING LAYOUT AND TYPE. MAKE GOOD ANY AREAS OF PAVING DAMAGED DURING CONSTRUCTION. 50mm BEDDING SAND LAYER TO ACHIEVE F.S.L.'s. -100mm COMPACTED SUBBASE MATERIAL CBR 45 QUALITY COMPACTED TO 95% MOD. M.D.D.

SITE SOIL, IMPROVED SITE SOIL OR IMPORTED GROWING 150mm DEEP MEDIA AS SPECIFIED- REFER SPADED EDGE. BSD-9051. SEE NOTE -RIP / CULTIVATE EXISTING SUBGRADE AS SPECIFIED -TURF AND TOPSOIL -REFER BSD-9051. AS SPECIFIED. -MULCH LAYER AS SPECIFIED. EXISTING SUBGRADE AS SPECIFIED. NOTE: CUT AND REMOVE SOIL TO CREATE PROFILE SHOWN. GRADE OF ADJACENT GARDEN BED NOT TO EXCEED 1 IN 4 UNLESS STATED ELSEWHERE.

PAVER GARDEN EDGE - SECTION <u>SPADE CUT GARDEN EDGE - SECTION</u>



NOTE: FOR TIGHT RADII, PARTIALLY SAW RELIEF CUT TO EDGE TO ALLOW FOR EASIER BENDING TO PEG.

TIMBER EDGE. NAIL FIXED TO HWD PEGS.

JOINER TIMBER. GALVANISED NAIL FIXED TO EDGE TIMBER.

LANDSCAPE TREATMENT AS SPECIFIED. FINISH TURF FLUSH. FINISH MULCH 25mm BELOW ADJACENT SURFACE LEVEL.

> ACQ OR TANALITH E TREATED PINE 100x15mm TIMBER EDGE. NAIL FIXED TO PEGS.

> - ADJACENT SURFACE TREATMENT

15x75mm JOINER TIMBER. GALVANISED NAIL FIXED TO

-HWD 50x50x350mm PEGS.

AS SPECIFIED. TIMBER. SECTION VIEW

TIMBER GARDEN EDGE - PLAN & SECTION

MANAGER INFRASTRUCTURE MANAGEMENT P.P.G. 2546	ıs - Sheet 2 of 3.dwg
B Drawing Title Amended FEB '16 JUL '16 JUL '16 DESIGN APPROVED CHECKED UMC - E&P & IMB [
MANAGER INFRASTRUCTURE MANAGEMENT DRAWN LPU - P&D L	ΓΕ 0CT '13
	ΓΕ OCT '13
DRAWING AUTHORISED FOR PUBLICATION PAUL COTTON SIGNATURE ON ORIGINAL DATED DESIGN Std Dwgs WG	TE 0CT '13



REFER TO BSD-9061 (SHEETS 1) FOR ASSOCIATED SPECIFICATIONS.

BRISBANE CITY COUNCIL STANDARD DRAWING

EDGING EDGING OPTIONS SHEET 2 OF 3

	1:10		
	DWG No.		
	BSD-9061		
	ORIGINAL SIZE	REVISION	
	Α3	В	