

## **GENERAL NOTES:**

- REFER TO BSD-5202 AND REFERENCE SPECIFICATION FOR ENGINEERING WORKS S205 CENTRES HONED CONCRETE PATHS FOR CONCRETE PATHWAY DETAILS AND SPECIFICATIONS. REFER TO BSD-5206 FOR JOINTING DETAILS.
  - CJ CONSTRUCTION JOINT
- EJ EXPANSION JOINT
- IJ ISOLATION JOINT
- 2. FOR HONING OF CONCRETE REFER TO BSD-5202 CONCRETE FINISHES SPECIFICATIONS.
- 3. ALL DIMENSIONS IN MILLIMETRES (U.N.O.).
- REFER TO CHAPTER 5 OF THE INFRASTRUCTURE DESIGN PLANNING SCHEME POLICY FOR LOCATIONS ON WHERE HONED AND SAWCUT PAVEMENT TREATMENT IS TO BE APPLIED.
- WHERE ADJOINING AN EXISTING FOOTPATH WITH MATCHING PAVEMENT TREATMENT ENSURE SAWCUTS AND PATTERNS ALIGN.
- 6. TOLERANCES FOR SAWCUTTING ARE ± 5mm.

THE FITNESS FOR PURPOSE OF THIS STANDARD DRAWING FOR A SPECIFIC PROJECT SHALL BE ASSESSED AND ACCEPTED BY A SUITABLY QUALIFIED REGISTERED PROFESSIONAL ENGINEER OF QUEENSLAND (RPEQ).



## BRISBANE CITY COUNCIL STANDARD DRAWING

CONCRETE FOOTPATH DECORATIVE SAWCUT SHEET 2 of 4 Mar '21

SCALE

NOT TO SCALE

DRAWING NUMBER

BSD-5207

ORIGINAL SIZE REVISION